

Property Name	ENERGY STAR Score	Site EUI (kBtu/ft²)	Source EUI (kBtu/ft²)	National Median Source EUI (kBtu/ft²)
Administration Center	88	47.4	106.4	183.3
York-Poquoson Courthouse	40	99.2	254.2	230.9
Finance Building	81	55	151	222
Griffin-Yeates Center	46	49	147.1	142.9
Public Safety Bldg	82	53.9	169.1	250.5
General Services	Not Available	54.4	170.7	148.1
Parks & Rec	Not Available	52.3	164.2	148.1
York County Library-Tabb	Not Available	53.3	167.4	235.6
Public Works Administration	81	48.9	132.3	198.3
Fire Station #1	Not Available	119.8	278.1	154.4
Vehicle Maintenance	Not Available	50.6	91.7	100.4
Waste Mgmt Center	Not Available	101.3	185.6	123.1
Fire Station #2	Not Available	52	124.4	154.4
Fire Station #6	Not Available	97.4	205.3	154.4
Post Office Bldg	Not Available	107	336.1	148.1
Fire Station #3	Not Available	99.7	213.8	154.4
Fire Station #4	Not Available	128.3	250.5	154.4
York Hall	Not Available	58	182.1	148.1
Yorktown Library	Not Available	52.8	156.5	235.6
Communications Center	Not Available	364.2	1076.4	Not Available
Charles Brown Park	Not Available	43	135.1	96.8
EDS Annex	Not Available	69.2	217.3	148.1
Fire Station #5	Not Available	96.8	206.9	154.4
Storm Water	Not Available	38.5	64.2	100.4